What is claimed is:

1. An electrical connector, comprising:

a plurality of terminals equipped with compliant sections to be inserted into through-holes in a main board;

a plurality of sub-boards equipped with lands connected to the terminals and a contact section to be connected to a mating connector, where the lands consist of a conductor formed on an insulator;

a housing used to secure the plurality of sub-boards in an array,

whereby the lands extend close to a terminal-side edge of the insulator to prevent the sub-boards from buckling when the compliant sections are inserted into the through-holes in the main board.

15

20

2. An electrical connector, comprising:

a plurality of terminals equipped with compliant sections to be inserted into through-holes in a main board;

a plurality of sub-boards equipped with lands connected to the terminals and a contact section to be connected to a mating connector, where the lands consist of a conductor formed on an insulator; and

a housing used to secure the plurality of sub-boards in an array,

of the insulator to serve as stopping means which stop displacement of the terminals when the compliant sections are inserted into the through-holes in the main board.

3. An electrical connector, comprising:

a plurality of terminals equipped with compliant sections to be inserted into through-holes in a main board;

a plurality of sub-boards equipped with lands connected to the terminals and a contact section to be connected to a mating connector, where the lands consist of a conductor formed on an insulator; and

a housing used to secure the plurality of sub-boards in an array,

wherein the conductor extends close to a terminal-side edge of the insulator, such that the lands serve as prevention means which prevents progress of buckling of the sub-boards bitten by the terminals when the compliant sections are inserted into the through-holes in the main board.

4. The electrical connector, according to claim 1, wherein a part of each land which is close to the edge is narrower than the remainder of the land.

20

15

- 5. The electrical connector, according to claim 2, wherein a part of each land which is close to the edge is narrower than the remainder of the land.
- 25 6. The electrical connector, according to claim 3, wherein a part of each land which is close to the edge is narrower than the remainder of the land..

- 7. The electrical connector, according to claim 1, wherein an insulator being harder than the insulator forming the sub-boards is placed between the terminals and the sub-boards.
- 5 8. The electrical connector, according to claim 2, wherein an insulator being harder than the insulator forming the sub-boards is placed between the terminals and the sub-boards.
- 9. The electrical connector, according to claim 3, wherein 10 an insulator being harder than the insulator forming the sub-boards is placed between the terminals and the sub-boards.
- 10. The electrical connector, according to claim 4, wherein an insulator being harder than the insulator forming the sub-boards is placed between the terminals and the sub-boards.